



NOTICE TO CONTRACTORS BULLETIN

SPRINGFIELD, IL 62764

Thursday, October 20, 2016

BULLETIN NO.16-42

This bulletin is issued weekly by the Bureau of Local Roads and Streets. It may be viewed or downloaded via the Illinois Department of Transportation's Internet Website at www.dot.il.gov under Doing Business, Procurements, Construction Services, Bulletins tab, Contractor's Bulletin.

You may also receive it automatically once per week via email. Prepare an email to the IDOT subscription server by using the following email address and with the information as noted below:

1. Send blank e-mail message to: subscribe-dot-localroadsbulletin@lists.illinois.gov. (do not type anything into the subject or body area; just send as is)
2. A confirmation e-mail will be sent to you.
3. Click on the first link provided in the confirmation email you received.
4. You will now receive another email confirming that you have been subscribed.

PREQUALIFICATION OF BIDDERS. Proposals requiring prequalification of bidders will be issued only to those contractors who are qualified with the Department of Transportation. Prequalification forms may be secured from the Engineer of Construction, Administration Building, 2300 South Dirksen Parkway, Springfield, IL 62764.

PLANS AND PROPOSALS. Unless otherwise noted, plans and proposals may be obtained at the office of the local agency advertising for bids. The plans and proposals are each a call for bids containing all requirements governing the letting and performance of the particular contract including but not limited to any applicable requirements for the payment of prevailing rates of wages for labor are required by law. Any questions regarding individual plans and proposals should be directed to the local agency advertising for bids or the appropriate district office of local roads and streets.

PROPOSALS "NOT FOR BIDDING". Contract proposals marked "Not for Bidding" may be issued to companies furnishing materials and equipment to contractors.

NONDISCRIMINATION REQUIREMENTS. All bidders are hereby notified that the counties and municipalities having work, or procurement of materials advertised in the bulletin are required to affirmatively insure that the contract, entered into pursuant to this advertisement, will be awarded to the lowest responsible bidder without discrimination on the grounds of race, color, sex or national origin.

RESPONSIBLE BIDDER REQUIREMENTS. All bidders are hereby notified that any proposal requiring work to be performed by a contractor requires the prime and subcontractors to participate in an approved training program UNLESS FEDERAL FUNDS are involved. All bidders must complete BLR12325 (if required) and return with the bidders' proposals. If BLR12325 is not completed, the bid will not be read.

PART I

SEE PREVIOUS BULLETINS for details of the following improvements which are scheduled for letting on the dates below.

	County/city	Section #	Letting Date	Letting Time
District: 1				
	Braidwood	16-00015-00-RS	10/24/2016	03:00PM
	Richmond	16-00000-00-GM	10/25/2016	10:00AM
	Riverside	14-00081-00-MS	10/27/2016	02:00PM
District: 2				
	No Advertisements in previous bulletin			
District: 3				
	No Advertisements in previous bulletin			
District: 4				
	No Advertisements in previous bulletin			
District: 5				
	No Advertisements in previous bulletin			
District: 6				
	No Advertisements in previous bulletin			
District: 7				
	No Advertisements in previous bulletin			
District: 8				
	St. Clair	16-00000-00-GM	10/24/2016	04:00pm
District: 9				
	No Advertisements in previous bulletin			

PART II

The following notices for lettings to be held at the Office of the SUPERINTENDENT OF HIGHWAYS, COUNTY ENGINEER, COUNTY CLERK OR MUNICIPAL CLERK at the times and places shown below are appearing in this bulletin for the first time. Plans and proposals for these improvements may be secured at the office of the awarding agency.

District: 1 Cook, DuPage, Kane, Lake, McHenry, Will

City/County	Section No.	Time	Date	Location of Letting
Lansing	17-00000-00-GM ### ATC	10:01AM	11/4/2016	LANSING

Description: CONST. PRE-ENGINEERED SALT DOME (61-FT. DIA.) (1 L.S.); 6.5 CU. YD. EARTH EXCAVATION

Project Location: 3300 171ST STREET

Proposal Available: ROBINSON ENGINEERING, LTD. (708)331-6700 (JEFF PINTAR), 17000 SOUTH PARK AVENUE, SOUTH HOLLAND, IL 60473 **Proposal Fee:** \$60.00

City/County	Section No.	Time	Date	Location of Letting
McHenry County	17-00000-01-GM ### ATC Non-MFT	10:00AM	10/28/2016	McHenry Co. DOT

Description: TRAFFIC SIGNAL, HIGHWAY LIGHTING, HIGHWAY FLASHER MAINTENANCE FOR YEAR 2017.

PREQUALIFICATION IS REQUIRED TO BID. PREQUALIFICATION 14, ELECTRICAL IS REQUIRED.

24 HOUR/7 DAY A WEEK ELECTRICAL MAINTENANCE ON VARIOUS TRAFFIC CONTROL SIGNALS, STREET LIGHTING, FLASHER SYSTEMS, AND WEATHER SYSTEMS.

MAINTENANCE TO BE PERFORMED BASED UPON THE REQUIREMENTS OF THE SPECIAL PROVISIONS OF THE CONTRACT PROPOSAL.

ESTIMATED QUANTITIES ARE 40 TRAFFIC SIGNALS, 41 FLASHERS, 571 STREET LIGHTS, 250 HOURS LABOR, VARIOUS TRAFFIC SIGNAL EQUIPMENT. A 5% BID BOND IS REQUIRED FOR THIS BID.

PROPOSALS ARE AVAILABLE ELECTRONICALLY AT [HTTPS://WWW.CO.MCHENRY.IL.US/COUNTY-GOVERNMENT/DEPARTMENTS-J-Z/TRANSPORTATION/DOING-BUSINESS/BID-DOCUMENTS](https://www.co.mchenry.il.us/county-government/departments-j-z/transportation/doing-business/bid-documents).

Project Location: VARIOUS ROADS WITHIN MCHENRY COUNTY

Proposal Available: McHenry Co. DOT, 16111 Nelson Rd., Woodstock, IL 60098 (Bradley Cousin 815.334.4971) **Proposal Fee:**

City/County	Section No.	Time	Date	Location of Letting
Olympia Fields	13-00031-02-ST ### ATC	10:01AM	11/4/2016	OLYMPIA FIELDS

Description: FURN. & APPLY THERMOPLASTIC PAV'T. MARKING-LINE (4"-24")(46,343 FT.); 503 SQ. FT. THERMOPLASTIC PAV'T. MARKING-LINE-LETTERS & SYMBOLS; 7,140 SQ. FT. PAV'T. MARKING REM.; 1,215 FT. MODIFIED URETHANE PAV'T. MARKING-LINE (4"-24"); 172 SQ. FT. MODIFIED URETHANE PAV'T. MARKING-LETTERS & SYMBOLS(1.56 MI.)

Project Location: OLYMPIAN WAY FROM VOLLMER ROAD TO LINCOLN HIGHWAY (U.S. 30)

Proposal Available: ROBINSON ENGINEERING, LTD. (708)331-6700 (JOSH BARELLI), 17000 SOUTH PARK AVENUE, SOUTH HOLLAND, IL 60473 **Proposal Fee:** \$30.00

City/County	Section No.	Time	Date	Location of Letting
Wilmington	12-00047-00-CH ### ATC	11:01AM	11/9/2016	CITY OF WILMINGTON

Description: CONST. INTERSECTION IMPROVEMENT W/HOT-MIX ASPH. BASE CSE. WIDENING, 10-1/4" (4,133 SQ. YD.), INCL. 2,192 SQ. YD. HOT-MIX ASPH. BASE CSE. WIDENING, 11-1/2"; 10,155 SQ. YD. AFF. SUBGRADE IMPROVEMENT 12"; 38,986 LBS. BIT. MAT'L. (PRIME); 9,380 CU. YD. EA. EXCAVATION; 10,939 SQ YD. GEOTECHNICAL FABRIC FOR GROUND STABILIZATION; 26,400 SQ YD. TOPSOIL FURN. & PL., 4"; 6,000 LBS. TEMP. EROSION CONTROL SEEDING; 7,323 FT. PERIMETER EROSION BARRIER; 4,043 SQ. YD. PAV'T. REM.; 3,720 SQ. YD. HOT-MIX ASPH. SHLDR, 8"; ASSORTED DRAINAGE APPURTENANCES, ETC. (0.780 MI.)

Project Location: IL ROUTE 53 AT CH 25 (WILMINGTON-PEOTONE ROAD)/KANKAKEE RIVER ROAD

Proposal Available: ROBINSON ENGINEERING, LTD. (708) 331-6700 (MICHAEL SPOLAR), 10045 W. LINCOLN HIGHWAY, FRANKFORT, IL 60423 **Proposal Fee:** \$60.00

No New Advertisements

No New Advertisements

City/County	Section No.	Time	Date	Location of Letting
Peoria	17-00000-00-GM	09:00AM	11/1/2016	PEORIA COUNTY HIGHWAY DEPARTMENT

Description: MATERIAL QUOTATIONS FOR AGGREGATE, BITUMINOUS PATCHING MATERIALS, LIQUID ASPHALT, PIPE CULVERTS, PIPE LINERS, HOT POURED JOINT SEALER, ANYI-ICING / DE-ICING PRODUCTS AND PORTLAND CEMENT CONCRETE.

***PROPOSALS AVAILABLE FOR NON-REFUNDABLE FEE OF \$5.00 AT OFFICE OR CAN BE DOWNLOADED AT www.peoriacounty.org/countyhighway/letting/ for no charge.

Project Location:

Proposal Available: PEORIA COUNTY HIGHWAY DEPARTMENT
6915 W. PLANK ROAD
PEORIA IL 61604
(309) 697-6400

Proposal Fee:

No New Advertisements

District: 6 Adams, Brown, Cass, Christian, Hancock, Logan, Macoupin, Mason, Menard, Montgomery, Morgan, Pike, Sangamon, Schuyler, Scott

City/County	Section No.	Time	Date	Location of Letting
SANGAMON COUNTY	16-NONMFT-00-GM	10:00AM	10/31/2016	SANGAMON COUNTY HIGHWAY DEPARTMENT
	Non-MFT			
VARIOUS				

Description: CARTWRIGHT RD:
3,000 TON -- SEAL COAT AGG (CA 15) CR STONE, A QUALITY
1,000 TON -- AGG SURF CSE, TY B (CA 6), CR STONE

CLEAR LAKE RD:
600 TON -- SEAL COAT AGG (CA 13) ACBFS
100 TON -- AGG SURF CSE, TY B (CA 6), CR STONE

FANCY CREEK RD:
2,000 TON -- SEAL COAT AGG (CA 14) CR STONE

GARDNER RD:
1,000 TON -- SEAL COAT AGG (CA 13) ACBFS
1,000 TON -- SEAL COAT AGG (CA 16) CR STONE

Project Location: STOCKPILE

Proposal Available: SANGAMON COUNTY HIGHWAY DEPARTMENT
(217) 535-3070

Proposal Fee:

No New Advertisements

City/County	Section No.	Time	Date	Location of Letting
O'Fallon	14-00069-00-PV ### ATC	08:30am	11/1/2016	City Clerk's Office 255 S. Lincoln Avenue O'Fallon, IL 62269

- Description:**
1. EARTH EXCAVATION - 5873 CU YD
 2. FURNISHED EXCAVATION - 9205 CU YD
 3. TRENCH BACKFILL - 2088 CU YD
 4. TOPSOIL FURNISH AND PLACE, 10" - 2038 SQ YD
 5. SEEDING, CLASS 2A - 2.5 ACRE
 6. NITROGEN FERTILIZER NUTRIENT - 219 POUND
 7. PHOSPHORUS FERTILIZER NUTRIENT - 219 POUND
 8. POTASSIUM FERTILIZER NUTRIENT - 219 POUND
 9. AGRICULTURAL GROUND LIMESTONE - 4.9 TON
 10. MULCH, METHOD 2 - 2.5 ACRE
 11. EROSION CONTROL BLANKET - 11405 SQ YD
 12. TEMPORARY EROSION CONTROL SEEDING - 240 POUND
 13. PERIMETER EROSION BARRIER - 4363 FOOT
 14. INLET AND PIPE PROTECTION - 2 EACH
 15. INLET FILTERS - 98 EACH
 16. SUBBASE GRANULAR MATERIAL, TYPE A 6" - 3418 SQ YD
 17. SUBBASE GRANULAR MATERIAL, TYPE A 12" - 16488 SQ YD
 18. AGGREGATE BASE COURSE, TYPE A 8" - 444 SQ YD
 19. BITUMINOUS MATERIALS (PRIME COAT) - 9324 POUND
 20. HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50 - 611 TON
 21. HOT-MIX ASPHALT PAVEMENT (FULL-DEPTH), 7" - 222 SQ YD
 22. PORTLAND CEMENT CONCRETE PAVEMENT 7" - 1231 SQ YD
 23. PORTLAND CEMENT CONCRETE PAVEMENT 8" - 408 SQ YD
 24. PORTLAND CEMENT CONCRETE PAVEMENT 9" - 10288 SQ YD
 25. PROTECTIVE COAT - 17078 SQ YD
 26. PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8 INCH - 410 SQ YD
 27. PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH - 10781 SQ FT
 28. PORTLAND CEMENT CONCRETE SIDEWALK 8 INCH - 178 SQ FT
 29. DETECTABLE WARNINGS - 428 SQ FT
 30. PAVEMENT REMOVAL - 5185 SQ YD
 31. DRIVEWAY PAVEMENT REMOVAL - 700 SQ YD
 32. CURB REMOVAL - 397 FOOT
 33. COMBINATION CURB AND GUTTER REMOVAL - 5723 FOOT
 34. SIDEWALK REMOVAL - 7175 SQ FT
 35. MEDIAN REMOVAL - 798 SQ FT
 36. PRECAST CONCRETE BOX CULVERTS 4' X 2' - 48 FOOT
 37. PRECAST REINFORCED CONCRETE FLARED END SECTIONS 12" - 1 EACH
 38. PRECAST REINFORCED CONCRETE FLARED END SECTIONS 15" - 1 EACH
 39. PRECAST REINFORCED CONCRETE FLARED END SECTIONS 18" - 1 EACH
 40. REINFORCED CONCRETE PIPE TEE, 24" PIPE WITH 15" RISER - 1 EACH
 41. REINFORCED CONCRETE PIPE TEE, 72" PIPE WITH 24" RISER - 1 EACH
 42. CONCRETE COLLAR - 4.5 CU YD
 43. STORM SEWERS, CLASS A, TYPE 1 12" - 1683 FOOT
 44. STORM SEWERS, CLASS A, TYPE 1 15" - 676 FOOT
 45. STORM SEWERS, CLASS A, TYPE 1 18" - 142 FOOT
 46. STORM SEWERS, CLASS A, TYPE 1 24" - 110 FOOT
 47. STORM SEWERS, CLASS A, TYPE 1 30" - 832 FOOT
 48. STORM SEWERS, CLASS A, TYPE 1 36" - 228 FOOT
 49. STORM SEWERS, CLASS A, TYPE 2 12" - 317 FOOT
 50. STORM SEWERS, CLASS A, TYPE 2 8" - 210 FOOT
 51. STORM SEWERS, CLASS A, TYPE 2 36" - 29 FOOT
 52. STORM SEWER REMOVAL 12" - 997 FOOT
 53. STORM SEWER REMOVAL 15" - 433 FOOT
 54. STORM SEWER REMOVAL 18" - 53 FOOT
 55. STORM SEWER REMOVAL 24" - 1173 FOOT
 56. STORM SEWER REMOVAL 27" - 12 FOOT
 57. STORM SEWERS JACKED IN PLACE, 15" - 68 FOOT
 58. MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID - 6 EACH
 59. MANHOLES, TYPE A, 4'-DIAMETER, TYPE 3 FRAME AND GRATE - 1 EACH
 60. MANHOLES, TYPE A, 4'-DIAMETER, TYPE 3V FRAME AND GRATE - 20 EACH
 61. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 3 FRAME AND GRATE - 3 EACH
 62. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 3V FRAME AND GRATE - 8 EACH
 63. MANHOLES, TYPE A, 6'-DIAMETER, TYPE 1 FRAME, CLOSED LID - 2 EACH
 64. MANHOLES, TYPE A, 6'-DIAMETER, TYPE 3 FRAME AND GRATE - 2 EACH
 65. MANHOLES, TYPE A, 6'-DIAMETER, TYPE 8 GRATE - 1 EACH
 66. MANHOLES, TYPE A, 6'-DIAMETER, TYPE 3V FRAME AND GRATE - 2 EACH
 67. INLETS, TYPE A, TYPE 3 FRAME AND GRATE - 5 EACH
 68. INLETS, TYPE A, TYPE 8 GRATE - 2 EACH
 69. INLETS, TYPE B, TYPE 1 FRAME, CLOSED LID - 1 EACH

70. INLETS, TYPE B, TYPE 3 FRAME AND GRATE - 5 EACH
71. MANHOLES TO BE ADJUSTED - 1 EACH
72. INLETS TO BE ADJUSTED - 3 EACH
73. FRAMES AND LIDS, TYPE 5, CLOSED LID - 1 EACH
74. REMOVING MANHOLES - 24 EACH
75. REMOVING INLETS - 30 EACH
76. CONCRETE CURB, TYPE B - 254 FOOT
77. COMB CONC CURB & GUTTER, TY B-6.06 - 55.5 FOOT
78. COMB CONC CURB & GUTTER, TY B-6.24 - 5671 FOOT
79. COMB CONC CURB & GUTTER, TY B-6.24 (VARIABLE WIDTH GUTTER FLAG) - 44.5 FOOT
80. COMB CONC CURB & GUTTER, TY B-9.12 - 2012 FOOT
81. COMB CONC CURB & GUTTER, TY B-9.24 - 2012.5 FOOT
82. CONCRETE MEDIAN SURFACE, 4 INCH - 410 SQ FT
83. FURNISHING AND ERECTING RIGHT OF WAY MARKERS - 21 EACH
84. MOBILIZATION - 1 LSUM
85. SIGN PANEL - TYPE 1 - 227.5 SQ FT
86. SIGN PANEL - TYPE 2 - 73.5 SQ FT
87. REMOVE SIGN PANEL ASSEMBLY - TYPE A - 1 EACH
88. REMOVE SIGN PANEL - TYPE 1 - 71.25 SQ FT
89. RELOCATE SIGN PANEL - TYPE 1 - 29.5 SQ FT
90. RELOCATE SIGN PANEL - TYPE 2 - 46.5 SQ FT
91. TELESCOPING STEEL SIGN SUPPORT - 503 FOOT
92. BASE FOR TELESCOPING STEEL SIGN SUPPORT - 5 EACH
93. PAINT PAVEMENT MARKING - LETTERS AND SYMBOLS - 538 SQ FT
94. PAINT PAVEMENT MARKING - LINE 4" - 13354 FOOT
95. PAINT PAVEMENT MARKING - LINE 8" - 698 FOOT
96. PAINT PAVEMENT MARKING - LINE 12" - 2296 FOOT
97. PAINT PAVEMENT MARKING - LINE 24" - 534 FOOT
98. RAISED REFLECTIVE PAVEMENT MARKER - 201 EACH
99. CURB REFLECTORS - 188 EACH
100. LOCATING UNDERGROUND CABLE - 200 FOOT
101. SERVICE INSTALLATION, TYPE A - 1 EACH
102. UNDERGROUND CONDUIT, GALVANIZED STEEL, 2" DIA. - 38 FOOT
103. UNDERGROUND CONDUIT, GALVANIZED STEEL, 3" DIA. - 38 FOOT
104. UNDERGROUND CONDUIT, GALVANIZED STEEL, 5" DIA. - 62 FOOT
105. UNDERGROUND CONDUIT, PVC, 1" DIA. - 441 FOOT
106. UNDERGROUND CONDUIT, PVC, 1 1/4" DIA. - 193 FOOT
107. UNDERGROUND CONDUIT, PVC, 2" DIA. - 796 FOOT
108. UNDERGROUND CONDUIT, PVC, 2 1/2" DIA. - 13 FOOT
109. UNDERGROUND CONDUIT, PVC, 3" DIA. - 211 FOOT
110. UNDERGROUND CONDUIT, PVC, 4" DIA. - 286 FOOT
111. UNDERGROUND CONDUIT, PVC, 5" DIA. - 115 FOOT
112. HANDHOLE, PORTLAND CEMENT CONCRETE - 14 EACH
113. DOUBLE HANDHOLE, PORTLAND CEMENT CONCRETE - 2 EACH
114. FULL-ACTUATED CONTROLLER AND TYPE IV CABINET - 1 EACH
115. ELEC CABLE IN CONDUIT, SIGNAL NO. 14 2C - 3096 FOOT
116. ELEC CABLE IN CONDUIT, SIGNAL NO. 14 4C - 3207 FOOT
117. ELEC CABLE IN CONDUIT, SIGNAL NO. 14 5C - 7577 FOOT
118. ELEC CABLE IN CONDUIT, SIGNAL NO. 14 7C - 5921 FOOT
119. ELEC CABLE IN CONDUIT, LEAD-IN, NO. 14 1 PAIR - 11772 FOOT
120. ELEC CABLE IN CONDUIT, EQUIP GROUNDING CONDUCTOR, NO. 6 1C - 1840 FOOT
121. TRAFFIC SIGNAL POST, 8 FT. - 1 EACH
122. TRAFFIC SIGNAL POST, 15 FT. - 5 EACH
123. PEDESTRIAN PUSH-BUTTON POST, GALVANIZED STEEL, TYPE I - 3 EACH
124. PEDESTRIAN PUSH-BUTTON POST, GALVANIZED STEEL, TYPE II - 1 EACH
125. STEEL MAST ARM ASSEMBLY AND POLE, 30 FT. - 1 EACH
126. STEEL MAST ARM ASSEMBLY AND POLE, 48 FT. - 2 EACH
127. STEEL MAST ARM ASSEMBLY AND POLE, 54 FT. - 1 EACH
128. STEEL MAST ARM ASSEMBLY AND POLE, 55 FT. - 1 EACH
129. STEEL MAST ARM ASSEMBLY AND POLE, 60 FT. - 1 EACH
130. STEEL MAST ARM ASSEMBLY AND POLE, 70 FT. - 1 EACH
131. CONCRETE FOUNDATION, TYPE A - 18 FOOT
132. CONCRETE FOUNDATION, TYPE D - 3 FOOT
133. CONCRETE FOUNDATION, TYPE E 36-INCH DIAMETER - 67 FOOT
134. CONCRETE FOUNDATION, TYPE E 42-INCH DIAMETER - 46 FOOT
135. DRILL EXISTING FOUNDATION - 1 EACH
136. DRILL EXISTING HANDHOLE - 21 EACH
137. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 3-SEC, BRACKET MOUNTED - 11 EACH
138. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 3-SEC, MAST ARM MOUNTED - 14 EACH
139. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 4-SEC, BRACKET MOUNTED - 2 EACH
140. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 4-SEC, MAST ARM MOUNTED - 3 EACH
141. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 5-SEC, BRACKET MOUNTED - 9 EACH
142. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 5-SEC, MAST ARM MOUNTED - 7 EACH
143. PED SIG HEAD, POLYCARBONATE, LED, 1-FACE, BRACKET MOUNTED - 16 EACH
144. TRAFFIC SIGNAL BACKPLATE, FORMED PLASTIC - 19 EACH
145. INDUCTIVE LOOP DETECTOR - 1 EACH
146. DETECTOR LOOP, TYPE I - 6928 FOOT
147. LIGHT DETECTOR - 4 EACH
148. LIGHT DETECTOR AMPLIFIER - 1 EACH
149. PEDESTRIAN PUSH-BUTTON - 16 EACH

150. RELOCATE EXISTING SIGNAL HEAD - 1 EACH
151. RELOCATE EXIST EMERGENCY VEH PRIOR SYSTEM, DETECTOR UNIT - 2 EACH
152. MODIFY EXISTING CONTROLLER - 2 EACH
153. REMOVE ELECTRIC CABLE FROM CONDUIT - 5301 FOOT
154. REMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT - 17 EACH
155. REMOVE EXISTING HANDHOLE - 4 EACH
156. REMOVE EXISTING CONCRETE FOUNDATION - 3 EACH
157. PROPOSED STORM SEWER CONNECTION TO EXISTING MANHOLE - 1 EACH
158. OUTLET SPECIAL - 1 EACH
159. EMERG VEH PRIORITY SYSTEM LINE SENSOR CABLE, NO. 20 3/C - 1031 FOOT
160. PLUG EXISTING STORM SEWERS - 7 CU YD
161. PAVEMENT MARKING REMOVAL - WATER BLASTING - 5378 SQ FT
162. FOLD DOWN BOLLARDS - 10 EACH
163. INLETS, TYPE A, TYPE 3V FRAME AND GRATE - 19 EACH
164. INLETS, TYPE B, TYPE 3V FRAME AND GRATE - 32 EACH
165. CONCRETE MEDIAN, TYPE SB (SPECIAL) - 2804 SQ FT
166. TRAFFIC CONTROL AND PROTECTION, (SPECIAL) - 1 LSUM
167. HANDHOLE TO BE ADJUSTED - 1 EACH
168. PAINT CURB - 441 FOOT
169. STORM SEWER (WATER MAIN REQUIREMENTS) 12 INCH - 173 FOOT
170. STORM SEWER (WATER MAIN REQUIREMENTS) 18 INCH - 43 FOOT
171. STORM SEWER (WATER MAIN REQUIREMENTS) 24 INCH - 97 FOOT

Project Location: North Greenmount Road from Regency Park Drive / Pierce Boulevard to West Highway
50 in the City of O'Fallon

Proposal Available: Office of:
Director of Public Works
255 South Lincoln Avenue
O'Fallon, IL 62269

Proposal Fee:

District: 9 Alexander, Franklin, Gallatin, Hamilton, Hardin, Jackson, Jefferson, Johnson, Massac, Perry, Pope, Pulaski, Saline, Union, White, Williamson

City/County	Section No.	Time	Date	Location of Letting
Jefferson	13-06125-00-AS ### ATC	10:00AM	11/1/2016	Jefferson County Engineer Office

FARRINGTON TOWNSHIP

Description: RECONST. TR-69, E. STRATTON RD; incl. 4500 ton agg. surf. cse., Ty B, 60 ton stone dump riprap, Cl. A-4, 24 cu. yd. conc. structures, 1000 cu. yd. borrow exc., 1000 sq. yd. erosion control blanket, 300 lbs. temp. seeding, 108 ft. temp. ditch checks, 1400 ft. perimeter erosion barrier, 3.0 acre seeding, Cl. 2(SPL), 192 ft. pipe culv., Cl. A, Ty 1 18", 40 ft. pipe culv., Cl. A, Ty 1 24".

Project Location: 10 miles east of Dix

Proposal Available: Jefferson County Highway Department
750 Old Fairfield Road
Mt. Vernon, IL 62864
Telephone: (618)-244-8031

Proposal Fee:

- ### PREQUALIFICATION OF BIDDERS REQUIRED**
- TBP TOWNSHIP BRIDGE PROGRAM**
- *** READVERTISEMENT**
- ATC APPRENTICESHIP TRAINING CERTIFICATION**
- FA FEDERAL AID FUNDING**

PART III

Awarded Contracts

County	Agency	Section No.	Contractor	Award Amount	Date Approved
Municipality					
Lake	Deer Park	13-00014-00-RS	Schroeder Asphalt Services, Inc.	\$563,705.86	5/20/2013
LaSalle	Streator	16-00098-00-RS	Universal Asphalt & Excavating, Inc.	\$745,491.90	10/11/2016
LaSalle	Sheridan	16-00000-00-GM	Universal Asphalt & Excavating, Inc.	\$112,702.80	10/17/2016
County					
Rock Island	Rock Island	14-00364-00-DR	Needham Excavating, Inc.	\$230,734.60	10/12/2016
Cumberland	Cumberland	15-00080-00-FP	Cumberland County	\$100.00	6/22/2016