




REFLECTOR MARKER TYPE A



Adhesive weep slots or holes
equally spaced on both sides



Brass or plastic rivet



All dimensions are in inches (millimeters)
unless otherwise shown.

REFLECTOR MARKER TYPE B

Illinois Department of Transportation
 APPROVED January 1, 2009
 ENGINEER OF OPERATIONS
 APPROVED January 1, 2009
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-2000



DATE	REVISIONS
1-1-09	Switched units to English (metric).
1-1-01	Revised signature block.

REFLECTOR MARKER AND MOUNTING DETAILS

(Sheet 1 of 3)


STANDARD 635011-02

Min. reflective area
6½ sq. in. (4,194 mm²)
each side. May be
rectangular or slight
trapezoid.




3 min. adhesive weep
holes or slots each side,
variable spacing.

Minimum total area of
base 7.0 sq. in. (4,516 mm²)




Cross section may be "T"
or "L" shaped and may have
side supports at ends.


REFLECTOR MARKER TYPE C



TYPICAL MOUNTING WITH REFLECTOR



**TYPICAL MOUNTING DETAIL
FOR BRIDGE RAIL REFLECTOR**



**TYPICAL MOUNTING DETAIL
FOR BARRIER WALL REFLECTOR**


Illinois Department of Transportation
APPROVED January 1, 2009
[Signature]
ENGINEER OF OPERATIONS
APPROVED January 1, 2009
[Signature]
ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-2000


**REFLECTOR MARKER AND
MOUNTING DETAILS**

(Sheet 2 of 3)

STANDARD 635011-02



DETAIL OF MOUNTING TERMINAL MARKER TO POST



STANDARD TERMINAL MARKER

SIGN SIZE	DIMENSIONS			
	A	B	C	D
12x16 (305x406)	12.0 (305)	16.0 (406)	1.5 (38)	2.0 (50)

 Illinois Department of Transportation
 APPROVED January 1, 2009
 ENGINEER OF OPERATIONS
 APPROVED January 1, 2009
 ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-2000

REFLECTOR MARKER AND MOUNTING DETAILS

(Sheet 3 of 3)

STANDARD 635011-02